

## CyberKey X2

Part Number: CKR-X2



CAW	Version 9.5 or newer
Enterprise	<input checked="" type="checkbox"/>
Basic	<input checked="" type="checkbox"/>

The RoHS compliant CyberKey X2 is an electronic key used to operate CyberLock cylinders. It has memory that contains encrypted access codes, a list of accessible locks, schedules of authorized dates and times, and a begin-end date range during which the key will operate. The battery from a CyberKey energizes the electronics within a CyberLock cylinder. CKR-X2 has a replaceable battery and is fully compatible with all Gen 2 CyberLock features.



### Specifications

<b>Physical</b>	Fiberglass reinforced nylon, replaceable brass tip
<b>Operating Temperature</b>	32° to 122° F (0° to 50° C)
<b>Weight</b>	1.5 oz (43.1 g)
<b>Visual Output</b>	Green indicator light
<b>Sound Output</b>	Embedded speaker
<b>Power</b>	3 V lithium CR2 battery, field replaceable
<b>Memory</b>	2 MB for up to 12,000 audit trail events and up to 12,000 locks with Lock List expansion SEM
<b>Compatibility</b>	USB Station with CyberLink 2, IR Encoder 10, CyberKey Web Authorizer Hub 2, and Flex II with a keyport.
<b>RoHS</b>	Compliant with EU 2015/863



Notes:  
Dimensions in inches (mm)  
Drawing not to scale  
Ø indicates diameter

